Rockfon Sonar® by Rockfon

HPD UNIQUE IDENTIFIER: 3678608209920

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT TYPE: Mineral Base Panel (Acoustical Ceiling)

PRODUCT DESCRIPTION: Elegant lightly textured white surface High sound absorption (NRC = 0.90 - 0.95) High fire performance High light reflectance (LR = 0.85) Optimal design freedom thanks to a large selection of edges (lay-in, tegular, direct mount, and concealed) Available in an array of sizes and formats, including planks. Ideal projects: Commercial, Educational, Healthcare, Hospitality, Institutional, Leisure & sport. No added antimicrobial treatment: Stone wool provides no sustenance to microorganisms and is naturally sag resistant. Rockfon is part of the ROCKWOOL Group.

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format**
- C Nested Materials Method
- Basic Method
- Threshold Disclosed Per
- © Material
- O Product
- Threshold Level 100 ppm 1,000 ppm Per GHS SDS

O Other

Residuals/Impurities Evaluation

- Completed
 Partially Completed
 Not Completed
- Explanation(s) provided :

Basic Method / Product Threshold

For all contents above the threshold, the m	
Characterized	• Yes O No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPDC-ap	proved
methods.	
Identified	🔿 Yes 🖸 No
Provided name and CAS RN or other ident	tifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

ROCKFON SONAR® [STONE WOOL, BIOSOLUBLE LT-UNK UNDISCLOSED BM-4 | FIBERGLASS LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | CAN | | MUL | AQU | DEV UNDISCLOSED LT-UNK GLUCOSE BM-3 PHENOL, POLYMER WITH FORMALDEHYDE LT-P1 ALUMINUM HYDROXIDE BM-2 | SKI | EYE WATER BM-4 CALCIUM CARBONATE BM-3 | EYE UREA LT-UNK | EYE CAPROLACTAM LT-UNK | SKI | EYE | MAM | REP LAUROLACTAM NoGS DODECANEDIOIC ACID, POLYMER WITH DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-HEXANEDIAMINE AND HEXANEDIOIC ACID NOGS HEXAMETHYLENEDIAMINE LT-P1 | END | SKI | MAM | EYE | REP HEXANEDIOIC ACID LT-UNK | EYE | MAM POLYVINYL ALCOHOL LT-UNK UNDISCLOSED NOGS TITANIUM DIOXIDE BM-1 | CAN | END | MAM UNDISCLOSED LT-UNK | MUL UREA, POLYMER WITH FORMALDEHYDE LT-P1 | SKI UNDISCLOSED NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 4 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

This product is not considered identified due to the proprietary nature of some chemicals within the product's formulation.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools) LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2025-02-26 PUBLISHED DATE: 2025-02-26 EXPIRY DATE: 2028-02-26 No

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ROCKFON SONAR®

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier data.

OTHER PRODUCT NOTES: This declaration is based on a pre-cured breakdown of the material ingredients. A mixture of chemicals called binder is applied on the stone wool fibers to adhere them together. Paints are also applied to the product. The liquid binder and paints are solidified / dried after chemicals react during the curing process. Therefore, hazard warnings on the HPD might not be applicable as the physical state of a chemical changes during the curing process.

STONE WOOL, BIOSOLUBLE

ID: 65997-17-3

HAZARD DATA SOURCE: P	haros Chemical and Materials Librar	у	HAZAF	RD SCREENING DATE	2025-02-26 14:33:46
%: 80.0000 - 85.0000	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE:	Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	o warnings found on HP	D Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	NC	
EXEMPT	European Union / European Co EC)	ommission (EU	EU - REACH	Exemptions	
	- /		Exempted fro safety	om REACH Annex V listi	ing due to intrinsic

SUBSTANCE NOTES: Stone wool products produced by ROCKWOOL are continually monitored and are in fulfilment of the CLP regulation Annex VI Note Q conditions (stone wool can also be referenced by the EC Number: 926-099-9). The pre-consumer recycled content comes primarily from recycled slag and / or briquettes. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: TC	oxnot Chemical Hazard Screening Libr	ary	HAZARD SCF	REENING DATE: 2025-02-26 13:28:02
%: 0.0000 - 5.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
	EC - CEPA DSL	Per	sistence	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO	TIFICATION	
None found			No lis	tings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

FIBERGLASS

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD S	CREENING DATE: 2025-02-26 14:33:47
%: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European EC)	Commission (EU	EU - REACH Exer	nptions
	20)		Exempted from RE safety	EACH Annex V listing due to intrinsic

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: T	oxnot Chemical Hazard Screening Libra	ry	HAZARD SCR	EENING DATE: 2025-02-26 13:28:04
%: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
None found			No warnin	gs found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO	TIFICATION	
None found			No lis	tings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening L	₋ibrary	HAZARD SCR	EENING DATE: 2025-02-26 13:28:06
%: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	МАК		Carcinogenicity	
CAN	US EPA - IRIS Carcinogens		Carcinogenicity	
	EC - CEPA DSL		Persistence	
MUL	EC - CEPA DSL		Mult*	
MUL	Japan - GHS		Mult*	
AQU	Japan - GHS		Acute Aquatic Toxi	city
DEV	МАК		Developmental Tox	vicity
MUL	EC - CEPA Toxic Substances (Sch	ned 1)	Mult*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
	s substance is considered proprietary by the ross the products covered by this HPD.	supplier. The	e percent by weight o	f the substance is disclosed as a range
UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Libra	ry	HAZARD SC	CREENING DATE: 2025-02-26 13:28:07
%: 0.0000 - 5.0000	GreenScreen: LT-UNK	RC: No	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
	s substance is considered proprietary by the cross the products covered by this HPD.	supplier. The	e percent by weight o	f the substance is disclosed as a range
GLUCOSE				ID: 50-99-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SC	CREENING DATE: 2025-02-26 14:33:47
%: 0.0000 - 5.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions
		Exempted from REACH Annex IV listing due to intrinsic safety

PHENOL, POLYMER WITH FORMALDEHYDE

ID: 9003-35-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZARD S	CREENING DATE: 2025-02-26 14:33:48
%: 0.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	International Living Future In	stitute (ILFI)	0 0	allenge 4.0 - Red List of Materials & tive February 1, 2025
			Red List substanc V4.0 projects	es to avoid in Living Building Challenge

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

ALUMINUM HYDROXIDE

ID: 21645-51-2

HAZARD DATA SOURCE	Pharos Chemical and Materials Libra	ry	HAZARD	SCREENING DATE: 2025-02-26 14:33:49
%: 0.0000 - 5.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation ca	ategory 2
EYE	GHS - New Zealand		Eye irritation ca	tegory 2

LIST NAME AND SOURCE	NOTIFICATION
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Biological and Environmentally Released Materials
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Children's Products
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
	Children's Toy Products
	Cradle to Cradle Products Innovation Institute (C2CPII) Cradle to Cradle Products Innovation Institute (C2CPII) Cradle to Cradle Products Innovation Institute

WATER				ID: 7732-18-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZARD S	CREENING DATE: 2025-02-26 14:33:50
%: 0.5450 - 1.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European	Commission (EU	EU - REACH Exer	nptions
	EC)		Exempted from RI safety	EACH Annex IV listing due to intrinsic

SUBSTANCE NOTES: The water will be evaporated during the curing process. There is no moisture content in the final Rockfon product. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

CALCIUM CARBONATE				ID: 471-34-1
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZARD SC	CREENING DATE: 2025-02-26 14:33:48
%: 0.0000 - 1.0000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation categ	ory 2

No listings found on Additional Hazard Lists

None found

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UREA

ID: 57-13-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2025-02-26 14:33:49
%: 0.0000 - 0.7000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation categ	jory 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institut	e (GSPI)	GSPI - Six Classes	s Precautionary List
			Antimicrobials	

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

CAPROLACTAM					ID: 105-60-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	ry	HAZARI	O SCREENING DATE: 20	25-02-26 14:33:51
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Im	npurity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
МАМ	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

LAUROLACTAM				ID: Not Registered
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Librar	у	HAZARD SCI	REENING DATE: 2025-02-26 13:28:18
%: 0.0000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
None found			No warni	ngs found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO	TIFICATION	
None found			No li	stings found on Additional Hazard Lists

DODECANEDIOIC ACID, POLYMER WITH DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-HEXANEDIAMINE AND HEXANEDIOIC ACID

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-02-26 14:33:52 %: 0.0000 - 0.5000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Adhesive HAZARD TYPE LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

HEXAMETHYLENEDIAMINE

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	CREENING DATE: 2025-02-26 14:33:49
%: 0.0000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Monomer

ID: 35912-47-1

ID: 124-09-4

HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
END	TEDX - Potential Endocrine	e Disruptors	Potential Endocrin	e Disruptor
SKI	EU - GHS (H-Statements)	EU - GHS (H-Statements) Annex 6 Table 3-1		vere skin burns and eye damage [Skin - Category 1A or 1B or 1C]
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity exposure - Category 1]
МАМ	GHS - Japan			mage to organs [Specific target oxicity following single exposure -
SKI	GHS - New Zealand		Skin corrosion cat	egory 1C
EYE	GHS - New Zealand		Serious eye dama	ge category 1
EYE	GHS - Japan		H318 - Causes se eye irritation - Cate	rious eye damage [Serious eye damage / egory 1]
SKI	GHS - Japan		H314 - Causes se corrosion / irritatio	vere skin burns and eye damage [Skin n - Category 1]
SKI	GHS - Australia			vere skin burns and eye damage [Skin - Category 1A or 1B or 1C]
MAM	GHS - Japan			damage to organs [Specific target oxicity following single exposure -
REP	GHS - Japan		H361 - Suspected [Toxic to reproduc	of damaging fertility or the unborn child tion - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	E	NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: The petthis HPD.	ercent by weight of the substance i	s disclosed as a rar	ge to account for va	riances across the products covered by
HEXANEDIOIC ACID				ID: 124-04-9
HAZARD DATA SOURCE: P	naros Chemical and Materials Lil	brary	HAZARD S	CREENING DATE: 2025-02-26 14:33:50
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Monomer

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

POLYVINYL ALCOHOL				ID: 9002-89-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	CREENING DATE: 2025-02-26 14:33:51
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: T	oxnot Chemical Hazard Screening Librar	у	HAZARD SCR	EENING DATE: 2025-02-26 13:28:25
%: 0.0000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
None found			No warnin	gs found on HPD Priority Hazard Lists

None found

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE:	RD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD S	CREENING DATE: 2025-02-26 14:33:52
%: 0.0000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Car	cinogens	Occupational Carc	cinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	ific to chemical form or exposure route
CAN	IARC	IARC		bly carcinogenic to humans - inhaled sources
CAN	МАК		• ·	o 3A - Evidence of carcinogenic effects o establish MAK/BAT value
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrine Disruptor	
CAN	МАК		Carcinogen Group risk under MAK/BA	9 4 - Non-genotoxic carcinogen with low AT levels
CAN	IARC		Group 2b - Possib	ly carcinogenic to humans
CAN	EU - GHS (H-Statements) A	nnex 6 Table 3-1	H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or e [Specific target organs/systemic toxicity I exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

HAZARD DATA SOURCE: To	oxnot Chemical Hazard Screening Libr	ary	HAZARD SCR	EENING DATE: 2025-02-26 13:2
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	V	ARNINGS	
MUL	EC - CEPA Toxic Substances (Sc	hed 1) N	lult*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	N	OTIFICATION	
None found			No list	ings found on Additional Hazard Li

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UREA, POLYMER WITH FORMALDEHYDE			ID: 9011-05-6		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-02-26 14:33:51			
%: 0.0000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin sensitisation category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025
		Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		All Products

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE: 1	Toxnot Chemical Hazard Screening Library	y	HAZARD SCF	EENING DATE:	2025-02-26 13:28:30
%: 0.0000 - 0.5000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCI	E ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS		
None found			No warnin	gs found on HPE	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO	TIFICATION		
None found			No lis	tings found on A	dditional Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

GreenGuard - Gold (previously Children & Schools)

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ea7255b0e82d946a4ba6? page_type=Products%20Catalog

ISSUE DATE: 2013-09-17 00:00:00 EXPIRY DATE: 2025-07-27 00:00:00 CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: Rockfon Sonar® is compliant under both the classroom and office scenario. Certificate Number: 42782-420.

LCA

Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ea7255b0e82d946a4ba6? page_type=Products%20Catalog ISSUE DATE: 2020-05-27 00:00:00 EXPIRY DATE: 2025-03-09 00:00:00 CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: The environmental impact reference product was Artic® (15 mm). To calculate product-specific environmental impacts of the products covered by this HPD, apply the relevant scaling factor found on page 4 of the EPD.

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD covers the following products: Sonar-A, Sonar-Conc, Sonar-ConcX, Sonar-SL/SLN, and Sonar-SLT and includes each product's formulation specific to the Cigacice, Poland manufacturing facility. These products have very similar compositional chemistry with slight differences in terms of percent by weights as well as edge type and / or coatings. These variances are limited to 10% or less of the total mass of each product.

MANUFACTURER INFORMATION

MANUFACTURER: Rockfon ADDRESS: 4849 S. Austin Avenue Chicago, Illinois 60638 COUNTRY: USA WEBSITE: rockfon.com CONTACT NAME: Warren Dudding TITLE: VP of Marketing and Business Development PHONE: 1-800-323-7164 EMAIL: warren.dudding@rockfon.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled contentPostC Post-consumer recycled contentUNK Inclusion of recycled content is unknownNone Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.