

HPD UNIQUE IDENTIFIER: 29761230848

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: Moisture and sag resistance combined with a Class A fire rating make this stone wool acoustic ceiling tile ideal for education spaces. Rockfon is part of the ROCKWOOL Group.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified status. Includes options for 'Basic Method', '1,000 ppm', 'Completed', etc.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
Nanomaterial ... No

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ROCKFON® EDUCATION PLUS [STONE WOOL, BIOSOLUBLE LT-
UNK ALUMINUM HYDROXIDE BM-2 | SKI | EYE FIBERGLASS LT-UNK
SYRUPS, HYDROLYZED STARCH LT-UNK PHENOL, POLYMER WITH
FORMALDEHYDE LT-P1 LIMESTONE BM-3dg WATER BM-4
POLYVINYL ALCOHOL LT-UNK UNDISCLOSED LT-UNK UREA LT-
UNK | EYE CAPROLACTAM LT-UNK | SKI | EYE | MAM | REP
LAUROLACTAM NoGS DODECANEDIOIC ACID, POLYMER WITH
DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-
HEXANEDIAMINE AND HEXANEDIOIC ACID NoGS
HEXAMETHYLENEDIAMINE LT-P1 | END | SKI | MAM | EYE | REP
HEXANEDIOIC ACID LT-UNK | EYE | MAM UREA, POLYMER WITH
FORMALDEHYDE LT-P1 | SKI 2-PROPENOIC ACID, 2-METHYL-, C12-
15-BRANCHED AND LINEAR ALKYL ESTERS, POLYMERS WITH
CETYL METHACRYLATE, ME METHACRYLATE, POLYETHYLENE
GLYCOL METHACRYLATE BRANCHED TRIDECYL ETHER AND
STEARYL METHACRYLATE NoGS UNDISCLOSED LT-1 | CAN | PBT |
MUL | SKI | DEV]

INVENTORY AND SCREENING NOTES:

This product is not considered identified due to the proprietary nature of some chemicals within the product's formulation.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GREENGUARD Gold
LCA: Environmental Product Declaration (EPD)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Summary table with 3 columns: Third Party Verified? (Yes/No), PREPARER: Self-Prepared, VERIFIER: VERIFICATION #: SCREENING DATE: 2025-02-26, PUBLISHED DATE: 2025-02-26, EXPIRY DATE: 2028-02-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ROCKFON® EDUCATION PLUS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier data.

OTHER PRODUCT NOTES: This declaration is based on a pre-cured breakdown of the material ingredients. A mixture of chemicals called binder is applied on the stone wool fibers to adhere them together. Paints are also applied to the product. The liquid binder and paints are solidified / dried after chemicals react during the curing process. Therefore, hazard warnings on the HPD might not be applicable as the physical state of a chemical changes during the curing process.

STONE WOOL, BIOSOLUBLE

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2025-02-26 15:09:28

%: 85.1220 - 86.5080

GreenScreen: **LT-UNK**

RC: **PreC**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: Stone wool products produced by ROCKWOOL are continually monitored and are in fulfillment of the CLP regulation Annex VI Note Q conditions (stone wool can also be referenced by the EC Number: 926-099-9). The pre-consumer recycled content comes primarily from recycled slag. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

ALUMINUM HYDROXIDE

ID: 21645-51-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2025-02-26 15:09:28

%: 3.7500 - 4.3960

GreenScreen: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

SKI

GHS - New Zealand

Skin irritation category 2

EYE

GHS - New Zealand

Eye irritation category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

FIBERGLASS

ID: 65997-17-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-26 15:09:29**

#: **2.8100 - 3.8280** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

SYRUPS, HYDROLYZED STARCH

ID: 8029-43-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-26 15:09:29**

#: **1.2470 - 1.7000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

PHENOL, POLYMER WITH FORMALDEHYDE

ID: **9003-35-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-26 15:09:30**

%: **1.0600 - 1.4400** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

LIMESTONE

ID: **1317-65-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-26 15:09:29**

%: **0.6890 - 1.0150** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-02-26 15:09:30**%: **0.8360 - 0.9400**GreenScreen: **BM-4**RC: **None**NANO: **No**SUBSTANCE ROLE: **Dedusting**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: The water will be evaporated during the curing process. There is no moisture content in the final Rockfon product. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

POLYVINYL ALCOHOL

ID: 9002-89-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-02-26 15:09:30**%: **0.0630 - 0.6280**GreenScreen: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSEDID: **Undisclosed**HAZARD DATA SOURCE: **Toxnot Chemical Hazard Screening Library**HAZARD SCREENING DATE: **2021-07-29 14:46:00**%: **0.0630 - 0.6280**GreenScreen: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is considered proprietary by the supplier. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UREA

ID: 57-13-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-26 15:09:31**

#: **0.4540 - 0.6170** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

CAPROLACTAM

ID: 105-60-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-02-26 15:09:31**

#: **0.0000 - 0.5250** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

LAUROLACTAM

ID: **Not Registered**

HAZARD DATA SOURCE: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-29 14:46:01**

%: **0.0000 - 0.5110** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

DODECANEDIOIC ACID, POLYMER WITH DECANEDIOIC ACID, HEXAHYDRO-2H-AZEPIN-2-ONE, 1,6-HEXANEDIAMINE AND HEXANEDIOIC ACID

ID: **35912-47-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-02-26 15:09:31**

#: **0.0000 - 0.5100**

GreenScreen: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

HEXAMETHYLENEDIAMINE

ID: **124-09-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-02-26 15:09:31**

#: **0.0000 - 0.5100**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

HEXANEDIOIC ACID

ID: 124-04-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-02-26 15:09:32**

#: **0.0000 - 0.5100**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UREA, POLYMER WITH FORMALDEHYDE

ID: 9011-05-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-02-26 15:09:31**

#: **0.1950 - 0.4320** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin sensitisation category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

2-PROPENOIC ACID, 2-METHYL-, C12-15-BRANCHED AND LINEAR ALKYL ESTERS, POLYMERS WITH CETYL METHACRYLATE, ME METHACRYLATE, POLYETHYLENE GLYCOL METHACRYLATE BRANCHED TRIDECYL ETHER AND STEARYL METHACRYLATE

ID: 903501-20-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-02-26 15:09:32**

%: **0.0000 - 0.2160** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range to account for variances across the products covered by this HPD.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-02-26 15:09:32**

%: **0.1780 - 0.1790** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dedusting**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: A de-duster oil used to control and reduce dust. The de-duster oil is considered proprietary by the manufacturer. The percent by weight of the substance is disclosed as a range to account for variances across the products covered by the HPD.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GREENGUARD Gold	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-07-30 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2025-07-17 00:00:00	Environment
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/61081690f57b048aea67e5d5?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: Rockfon® Education Plus is compliant under both the classroom and office scenario.		

LCA	Environmental Product Declaration (EPD)	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-01-10 00:00:00	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2025-09-03 00:00:00	Environment
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/61081690f57b048aea67e5d5?page_type=Products%20Catalog		
CERTIFICATION AND COMPLIANCE NOTES: The environmental impact reference product was Artic® (15 mm). To calculate product-specific environmental impacts of the products covered by this HPD, apply the relevant scaling factor found on page 3 of the EPD.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD covers the following products: Education Plus-A and Education Plus-SL/SLN and includes each product's formulation specific to the Marshall County, Mississippi, USA manufacturing facility. These products have very similar compositional chemistry with slight differences in terms of percent by weights as well as edge type and / or coatings. These variances are limited to 10% or less of the total mass of each product.

MANUFACTURER INFORMATION

MANUFACTURER: **Rockfon**
 ADDRESS: **4849 S. Austin Avenue**
Chicago, Illinois 60638
 COUNTRY: **USA**

WEBSITE: **rockfon.com**
 CONTACT NAME: **Warren Dudding**
 TITLE: **VP of Marketing and Business Development**
 PHONE: **1-800-323-7164**
 EMAIL: **warren.dudding@rockfon.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

